

INDEX TO VOLUME 49

AUTHOR INDEX

Page	Page	Page
Abou-Guendia, M., and B. L. D'Appolonia. Changes in carbohydrate components during wheat maturation. I. Changes in free sugars	664	Clark, H. E. (<i>see</i> J. M. Howe)
Aiza, L. A. (<i>see</i> D. R. Lineback)	283	Cole, E. W., H. Ng, and D. K. Mecham. Gradient ultracentrifugation in the characterization of the acetic acid-insoluble proteins of wheat flour
Anderson, R. A. (<i>see</i> C. Vojnovich)	346	_____ (<i>see</i> D. K. Mecham)
Attia, R. M. (<i>see</i> M. El-Hesseny Tawfik)	343	Connor, M. A. (<i>see</i> R. M. Saunders)
Bhatty, R. S. A note on trichloroacetic acid precipitation of oilseed proteins	729	Craney, C. E. A quick biuret method for protein in wheat
Bietz, J. A., and J. S. Wall. Wheat gluten subunits: molecular weights determined by sodium dodecyl sulfate-polyacrylamide gel electrophoresis	416	D'Appolonia, B. L. Effect of bread ingredients on starch-gelatinization properties as measured by the amylograph
Blessin, C. W. (<i>see</i> J. F. Cavins)	605	_____ (<i>see</i> M. Abou-Guendia)
_____ (<i>see</i> W. J. Garcia)	158, 499	_____ (<i>see</i> C. Lintas)
Bloksma, A. H. The relation between the thiol and disulfide contents of dough and its rheological properties	104	Daussant, J. (<i>see</i> M-L. Niku-Paavola)
Bradley, J. W. (<i>see</i> R. R. Matsuo)	707	DeHaas, B. (<i>see</i> K. J. Goering)
Brekke, O. L., A. J. Peplinski, E. L. Griffin, Jr., and J. J. Ellis. Dry-milling of corn attacked by southern leaf blight	466	Dimopoulos, J. S., and H. G. Muller. Effect of processing conditions on protein extraction and composition and on some other physicochemical characteristics of parboiled rice
Bushuk, W. (<i>see</i> B. L. Dronzek)	232	Donelson, D. H., and W. T. Yamazaki. Soft wheat flour particle-size analysis by integrated sieve and Coulter Counter procedures
_____ (<i>see</i> R. A. Orth)	268	_____ (<i>see</i> W. T. Yamazaki)
_____ (<i>see</i> K. Tanaka)	247	Dronzek, B. L., P. Hwang, and W. Bushuk. Scanning electron microscopy of starch from sprouted wheat
Calloway, D. H. (<i>see</i> C. A. Hickey)	276	Edwards, R. H. (<i>see</i> R. M. Saunders)
Cantagalli, P. (<i>see</i> S. E. Piazzia)	72	Eheart, J. F. (<i>see</i> E. W. Toepfer)
Cater, C. M., S. Gheyasuddin, and K. F. Mattil. The effect of chlorogenic, quinic, and caffeic acids on the solubility and color of protein isolates, especially from sunflower seed	508	Ellis, J. J. (<i>see</i> O. L. Brekke)
_____ (<i>see</i> L. W. Rooney)	399	_____ (<i>see</i> C. Vojnovich)
Cavins, J. F., C. W. Blessin, and G. E. Inglett. Infusion of grain sorghum with lysine, methionine, and tryptophan	605	Enari, T.-M. (<i>see</i> M-L. Niku-Paavola)
_____ (<i>see</i> W. J. Garcia)	499	Edstick, R. F. (<i>see</i> Y. Pomeranz)
Chen, S. C.-S. (<i>see</i> C. Kies)	26	Farrand, E. A. Controlled levels of starch damage in a commercial United Kingdom bread flour and effects on absorption, sedimentation value, and loaf quality
Choudhury, M. S. U. (<i>see</i> O. R. Kunze)	684	Farrell, E. P. (<i>see</i> E. D. Weak)
Chung, D. S., S.-W. Park, W. J. Hoover, and C. A. Watson. Sorption kinetics of water vapor by yellow dent corn. II. Analysis of kinetic data for damaged corn	598	Fellers, D. A. (<i>see</i> J. W. Finley)
		Ferrel, R. E. (<i>see</i> J. W. Finley)
		Finley, J. W., R. E. Ferrel, and D. A. Fellers. Determination of added lysine in fortified wheat and bulgur

INDEX TO VOLUME 49

AUTHOR INDEX

Page	Page	Page
Abou-Guendia, M., and B. L. D'Appolonia. Changes in carbohydrate components during wheat maturation. I. Changes in free sugars	664	Clark, H. E. (<i>see</i> J. M. Howe)
Aiza, L. A. (<i>see</i> D. R. Lineback)	283	Cole, E. W., H. Ng, and D. K. Mecham. Gradient ultracentrifugation in the characterization of the acetic acid-insoluble proteins of wheat flour
Anderson, R. A. (<i>see</i> C. Vojnovich)	346	_____ (<i>see</i> D. K. Mecham)
Attia, R. M. (<i>see</i> M. El-Hesseny Tawfik)	343	Connor, M. A. (<i>see</i> R. M. Saunders)
Bhatty, R. S. A note on trichloroacetic acid precipitation of oilseed proteins	729	Craney, C. E. A quick biuret method for protein in wheat
Bietz, J. A., and J. S. Wall. Wheat gluten subunits: molecular weights determined by sodium dodecyl sulfate-polyacrylamide gel electrophoresis	416	D'Appolonia, B. L. Effect of bread ingredients on starch-gelatinization properties as measured by the amylograph
Blessin, C. W. (<i>see</i> J. F. Cavins)	605	_____ (<i>see</i> M. Abou-Guendia)
_____ (<i>see</i> W. J. Garcia)	158, 499	_____ (<i>see</i> C. Lintas)
Bloksma, A. H. The relation between the thiol and disulfide contents of dough and its rheological properties	104	Daussant, J. (<i>see</i> M-L. Niku-Paavola)
Bradley, J. W. (<i>see</i> R. R. Matsuo)	707	DeHaas, B. (<i>see</i> K. J. Goering)
Brekke, O. L., A. J. Peplinski, E. L. Griffin, Jr., and J. J. Ellis. Dry-milling of corn attacked by southern leaf blight	466	Dimopoulos, J. S., and H. G. Muller. Effect of processing conditions on protein extraction and composition and on some other physicochemical characteristics of parboiled rice
Bushuk, W. (<i>see</i> B. L. Dronzek)	232	Donelson, D. H., and W. T. Yamazaki. Soft wheat flour particle-size analysis by integrated sieve and Coulter Counter procedures
_____ (<i>see</i> R. A. Orth)	268	_____ (<i>see</i> W. T. Yamazaki)
_____ (<i>see</i> K. Tanaka)	247	Dronzek, B. L., P. Hwang, and W. Bushuk. Scanning electron microscopy of starch from sprouted wheat
Calloway, D. H. (<i>see</i> C. A. Hickey)	276	Edwards, R. H. (<i>see</i> R. M. Saunders)
Cantagalli, P. (<i>see</i> S. E. Piazzia)	72	Eheart, J. F. (<i>see</i> E. W. Toepfer)
Cater, C. M., S. Gheyasuddin, and K. F. Mattil. The effect of chlorogenic, quinic, and caffeic acids on the solubility and color of protein isolates, especially from sunflower seed	508	Ellis, J. J. (<i>see</i> O. L. Brekke)
_____ (<i>see</i> L. W. Rooney)	399	_____ (<i>see</i> C. Vojnovich)
Cavins, J. F., C. W. Blessin, and G. E. Inglett. Infusion of grain sorghum with lysine, methionine, and tryptophan	605	Enari, T-M. (<i>see</i> M-L. Niku-Paavola)
_____ (<i>see</i> W. J. Garcia)	499	Edstick, R. F. (<i>see</i> Y. Pomeranz)
Chen, S. C-S. (<i>see</i> C. Kies)	26	Farrand, E. A. Controlled levels of starch damage in a commercial United Kingdom bread flour and effects on absorption, sedimentation value, and loaf quality
Choudhury, M. S. U. (<i>see</i> O. R. Kunze)	684	Farrell, E. P. (<i>see</i> E. D. Weak)
Chung, D. S., S-W. Park, W. J. Hoover, and C. A. Watson. Sorption kinetics of water vapor by yellow dent corn. II. Analysis of kinetic data for damaged corn	598	Fellers, D. A. (<i>see</i> J. W. Finley)
		Ferrel, R. E. (<i>see</i> J. W. Finley)
		Finley, J. W., R. E. Ferrel, and D. A. Fellers. Determination of added lysine in fortified wheat and bulgur

Finney, K. F. (see R. C. Hoseney)	366, 372	Hegsted, D. M. (see S. Miladi)	119
Fox, H. M. (see C. Kies)	26, 223	Hepburn, F. N. (see E. W. Toepfer)	173
Freeman, J. E. (see V. E. Headley)	142	Hesseltine, C. W. (see O. L. Shotwell)	458
(see J. Spanheimer)	131	Hickey, C. A., D. H. Calloway, and E.	
Fryar, W. B. (see L. W. Rooney)	399	L. Murphy. Intestinal-gas production following ingestion of commercial wheat cereals and milling fractions	276
Gallant, D., C. Mercier, and A.		Hlynka, I. (see S. L. Jelaca)	489
Guilbot. Electron microscopy of starch granules modified by bacterial α -amylase	354	Honig, D. H. (see J. J. Rackis)	586
Garcia, W. J., C. W. Blessin, and G. E.		Hoover, W. J. (see D. S. Chung)	598
Inglett. Mineral constituents in corn and wheat germ by atomic absorption spectroscopy	158	Horner, R. L. (see D. R. Lineback)	283
, H. W. Gardner, J. F.		Hoseney, R. C., K. F. Finney, and M.	
Cavins, A. C. Stringfellow, C. W.		D. Shogren. Functional (breadmaking) and biochemical properties of wheat flour components. IX. Replacing total free lipid with synthetic lipid	366
Blessin, and G. E. Inglett.		, , and	
Composition of air-classified defatted corn and wheat germ flours	499	Functional (breadmaking) and biochemical properties of wheat flour components. X. Fractions involved in the bromate reaction .	372
, and M. J. Wolf.		Howe, J. M., Y. Yamamura, and H. E.	
Polarimetric determination of starch in corn with dimethyl sulfoxide as a solvent	298	Clark. Determination of tryptophan in cereals	566
Gardner, H. W. (see W. J. Garcia)	499	Hwang, P. (see B. L. Dronzek)	232
Gheyasuddin, S. (see C. M. Cater)	508		
Goering, K. J., and DeHaas, B. New starches. VIII. Properties of the small-granule starch from <i>Colocasia esculenta</i>	712		
Gordon, S. H. (see H. E. Smith)	336		
Goulden, M. L. (see O. L. Shotwell) .	458	Inglett, G. E. (see J. F. Cavins)	605
Grant, D. R., and C. C. Wang.		(see W. J. Garcia)	158, 499
Dialyzable components resulting from proteolytic activity in extracts of wheat flour	201	Irvine, G. N. (see R. R. Matsuo)	707
Greenaway, W. T. A fundamental and a rapid empirical test for dust in corn	150	Islam, M. N. (see J. E. Rutledge)	430
. Comparison of Kjeldahl, dye-binding, and biuret methods for wheat protein content	609		
Griffin, E. L., Jr. (see O. L. Brekke)	466		
Guilbot, A. (see D. Gallant)	354		
Hackler, L. R. Nutritional evaluation of protein quality in breakfast foods	677	James, W. H. (see J. E. Rutledge)	430
(see J. P. Van Buren)	208	Jelaca, S. L., and I. Hlynka. Effect of wheat-flour pentosans in dough, gluten, and bread	489
Hansel, L. W. (see C-Y. Tsai)	572	Johnson, J. A. (see K. Lorenz)	616
Headley, V. E., J. Spanheimer, J. E.		(see J. Maga)	79
Freeman, and R. E. Headley. Air classification of corn grits. II. Fine grinding and air classification of protease-treated corn grits	142		
(see J. Spanheimer)	131	Kachkin, A. (see M-L. Niku-Paavola)	580
Heady, R. E. (see V. E. Headley)	142	Katz, H. C. (see H. E. Smith)	336
(see J. Spanheimer)	131	Khaleeluddin, K. (see N. E. Lloyd)	544

Kilborn, R. H., and K. H. Tipples. Factors affecting mechanical dough development. I. Effect of mixing intensity and work input 34

—, and —. Factors affecting mechanical dough development. II. Implications of mixing at a constant rate of energy input 48

Kline, L. (see R. M. Saunders) 86

Kohler, G. O. (see S. Miladi) 119

— (see R. M. Saunders) 98, 436

Kruger, J. E. Changes in the amylases of hard red spring wheat during germination 391

—. Changes in the amylases of hard red spring wheat during growth and maturation 379

—, and B. Marchylo. The use of reduced β -limit dextrin as substrate in an automated amylase assay 453

Kulp, K. Physicochemical properties of starches of wheats and flours 697

—, C. C. Tsen, and C. J. Daly. Effect of chlorine on the starch component of soft wheat flour 194

Kunze, O. R., and M. S. U. Choudhury. Moisture adsorption related to the tensile strength of rice 684

Lamm, W. R. (see N. E. Lloyd) 544

Lee, C. C., and Y. H. Liau. Studies with radioactive tracers. XVIII. Model browning reactions between glycine and D-fructose 443

Lehmann, J. (see H. T. Slover) 412

Liau, Y. H. (see C. C. Lee) 443

Lineback, D. R., L. A. Aira, and R. L. Horner. Structural characterization of the two forms of glucoamylase from *Aspergillus niger* 283

Lintas, C., and B. L. D'Appolonia. Note on the effect of purification treatment on water-soluble pentosans 731

Lloyd, N. E., K. Khaleeluddin, and W. R. Lamm. Automated method for the determination of D-glucose isomerase activity 544

Lorenz, K., and J. A. Johnson. Starch hydrolysis under high temperatures and pressures 616

—, and J. Maga. The production of high-protein breads under reduced atmospheric pressures 522

—, J. Welsh, R. Normann, and J. Maga. Comparative mixing and baking properties of wheat and triticale flours 187

Maga, J., and J. A. Johnson. Effect of processing and storage conditions on lipid composition of soy products 79

— (see K. Lorenz) 187, 522

Marchylo, B. (see J. E. Kruger) 453

Matsuo, R. R., Bradley, J. W., and Irvine, G. N. Effect of protein content on the cooking quality of spaghetti 707

Matil, K. F. (see C. M. Cater) 508

Maxson, E. D., and L. W. Rooney. Evaluation of methods for tannin analysis in sorghum grain 719

Mecham, D. K., E. W. Cole, and H. Ng. Solubilizing effect of mercuric chloride on the "gel" protein of wheat flour 62

— (see E. W. Cole) 68

Mercier, C. (see D. Gallant) 354

Miladi, S., D. M. Hegsted, R. M. Saunders, and G. O. Kohler. The relative nutritive value, amino acid content, and digestibility of the proteins of wheat mill fractions 119

Miller, G. D. (see E. D. Weak) 653

Morris, E. R. (see E. W. Toepfer) 173

Moser, H. A. (see J. J. Rackis) 586

Muller, H. G. (see J. S. Dimopoulos) 54

Murphy, E. L. (see C. A. Hickey) 276

Nelson, O. E. (see C-Y. Tsai) 572

Ng, H. (see E. W. Cole) 68

— (see D. K. Mecham) 62

— (see R. M. Saunders) 86

Niku-Paavola, M-L., M. Nummi, A. Kachkin, J. Daussant, and T-M. Enari. The isoelectric focusing electrophoresis of wheat β -amylases 580

Normann, R. (see K. Lorenz) 187

Nummi, M. (see M-L. Niku-Paavola) 580

Orth, R. A., and W. Bushuk. A comparative study of the proteins of wheats of diverse baking qualities 268

Park, S-W. (see D. S. Chung) 598

Peplinski, A. J. (see O. L. Brekke) 466

Piazz, S. E., G. Riparbelli, S. Sordi, P. Cantagalli, F. Pochiari, and V. Silano. Immunochemical characterization of specific albumins of bread wheat 72

Pochiari, F. (see S. E. Piazz) 72

Polansky, M. M. (see E. W. Toepfer) 173

Pomeranz, Y. Scanning electron microscopy of the endosperm of malted barley 5

_____, R. F. Estlick, and G. S. Robbins. Amino acid composition and malting and brewing performance of high-amylase and Hiproly barleys 629

_____, and G. S. Robbins. Amino acid composition of maturing barley 560

_____, and I. B. Sachs. Determining the structure of the barley kernel by scanning electron microscopy 1

_____, and _____. Scanning electron microscopy of the buckwheat kernel 23

_____, and _____. Scanning electron microscopy of the oat kernel 20

_____, (see G. S. Robbins) 240

Quackenbush, F. W. (see E. W. Toepfer) 173

Rackis, J. J., D. H. Honig, D. J. Sessa, and H. A. Moser. Lipoxygenase and peroxidase activities of soybeans as related to the flavor profile during maturation 586

Riparbelli, G. (see S. E. Piazz) 72

Robbins, G. S., and Y. Pomeranz. Composition and utilization of milled barley products. III. Amino acid composition 240

_____, (see Y. Pomeranz) 629

Rooney, L. W., W. B. Fryar, and C. M. Cater. Protein and amino acid contents of successive layers removed by abrasive milling of sorghum grain 399

_____, (see E. D. Maxson) 719

Russell, C. R. (see H. E. Smith) 336

Rutledge, J. E., M. N. Islam, and W. H. James. Improved canning stability of rice by chemical modification 430

Sachs, I. B. (see Y. Pomeranz) ... 1, 20, 23

Saunders, R. M., M. A. Connor, R. H. Edwards, and G. O. Kohler. Enzymatic processing of wheat bran: effects on nutrient availability 436

_____, and G. O. Kohler. *In vitro* determination of protein digestibility in wheat millfeeds for monogastric animals 98

_____, H. Ng, and L. Kline. The sugars of flour and their involvement in the San Francisco sour dough French bread process 86

_____, (see S. Miladi) 119

Sessa, D. J. (see J. J. Rackis) 586

Shogren, M. D. (see R. C. Hosene) 366, 372

Shotwell, O. L., M. L. Goulden, and C. W. Hesseltine. Aflatoxin contamination: association with foreign material and characteristic fluorescence in damaged corn kernels 458

Silano, V. (see S. E. Piazz) 72

Simmonds, D. H. The ultrastructure of the mature wheat endosperm 212

_____. Wheat-grain morphology and its relationship to dough structure 324

_____, and C. W. Wrigley. The effect of lipid on the solubility and molecular-weight range of wheat gluten and storage proteins 317

Slover, H. T., and J. Lehmann. Effects of fumigation on wheat in storage. IV. Tocopherols 412

_____, (see E. W. Toepfer) ... 173

Smith, H. E., H. C. Katz, S. H. Gordon, and C. R. Russell. Preparation and properties of carbamoylethyl wheat flour 336

Sollars, W. F. Relation of distilled-water retention to alkaline-water retention, water absorption, and baking properties of wheat flours 168

Sordi, S. (see S. E. Piazz) 72

Spanheimer, J., J. E. Freeman, R. E. Heady, and V. E. Headley. Air classification of corn grits. I. Softening grits with enzymes and chemicals 131

_____, (see V. E. Headley) ... 142

Steinkraus, K. H. (see J. P. Van Buren) 208

Stringfellow, C. W. (see W. J. Garcia). 499

Tanaka, K., and W. Bushuk. Effect of protein content and wheat variety

on solubility and electrophoretic properties of flour proteins	247	Wall, J. S. (see J. A. Bietz)	416
Tawfik, M. El-Hesseny, and R. M. Attia. Action of bacterial α -amylase on gelatinization characteristics of waxy-rice flour ..	343	Wallace, J. M., and E. L. Wheeler. Lipoygenase inactivation in wheat protein concentrate by heat-moisture treatments	92
Tipples, K. H. (see R. H. Kilborn) ..	34, 48	Wang, C. C. (see D. R. Grant)	201
Tkachuk, R. Iodoacetic acid as a flour-improving reagent	636	Watson, C. A. (see D. S. Chung)	598
_____ . Phosphorus residues in wheat due to phosphine fumigation	258	Weak, E. D. (see E. D. Weak)	
Toepfer, E. W., M. M. Polansky, J. F. Eheart, H. T. Slover, E. R. Morris, F. N. Hepburn, and F. W. Quackenbush. Nutrient composition of selected wheats and wheat products. XI. Summary	173	Weak, E. D., G. D. Miller, E. P. Farrell, and C. A. Watson. Rapid determination of germ damage in cereal grains	653
Tsai, C-Y., L. W. Hansel, and O. E. Nelson. A colorimetric method of screening maize seeds for lysine content	572	Welsh, J. (see K. Lorenz)	187
Tsen, C. C. (see K. Kulp)	194	Wheeler, E. L. (see J. M. Wallace)	92
Van Buren, J. P., L. R. Hackler, and K. H. Steinkraus. Solubilization of soybean tempeh constituents during fermentation	208	Wolf, M. J. (see W. J. Garcia)	298
Vojnovich, C., R. A. Anderson, and J. J. Ellis. Microbial reduction in stored and dry-milled corn infected with southern corn leaf blight	346	Wrigley, C.W. (see D. H. Simmonds)	317
Zaehringer, M. V. Properties of glutens from doughs containing components of cheddar-cheese whey	307	Yamamura, Y. (see J. M. Howe)	566
Yamazaki, W. T., and D. H. Donelson. The relationship between flour particle size and cake-volume potential among eastern soft wheats	649		
Youngs, V. L. Protein distribution in the oat kernel	407		

SUBJECT INDEX

	Page
Absorption, wheat-flour; and baking properties (Sollars)	168
Aflatoxin, corn; detection in damaged kernels and foreign material (Shotwell et al.)	458
Air classification; effect on composition of corn- and wheat-germ flours (Garcia et al.)	499
Air classification of corn grits (a series):	
I (Spanheimer et al.)	131
II (Headley et al.)	142
Alcohols, from hydrolysis of starch (Lorenz and Johnson)	616
Alkaline-water retention, of wheat flours (Sollars)	168
Amino acids	
Alanine, complex with copper in test for wheat lysine (Finley et al.)	514
Barley; in maturing plant (Pomeranz and Robbins)	560
Composition of commercial dry-milled corn and wheat-germ flours (Garcia et al.)	499
Of high-protein barleys (Pomeranz et al.)	629
Infusion of sorghum grain with (Cavins et al.)	605
Leucine; influence on protein value of cereal grain in human diet (Kies and Fox)	223
Lysine, <i>see</i> main entry	
Of milled barley and products (Robbins and Pomeranz)	240
Of wheat mill fractions; nutritive value of (Miladi et al.)	119
Of wheat and wheat products (Toepfer et al.)	173
Amylase	
α -; automated assay for, on reduced beta-limit dextrin (Kruger and Marchylo)	453
α -; and gelatinization of waxy-rice flour (Tawfik and Attia)	343
α -modified starch granules; electron microscopy of (Gallant et al.)	354
α -; in treatment of semolina	
pentosans (Lintas and D'Appolonia)	731
β -; isoelectric focusing properties in wheat (Niku-Paavola et al.)	580
HRS wheat; changes during germination (Kruger)	391
HRS wheat; changes during growth and maturation (Kruger)	379
Glucoamylase, <i>see</i> Enzymes	
SEM microscopy of eroded sprouted wheat-starch granules (Dronzek et al.)	232
Amylograph studies; effect of bread ingredients on gelatinization properties (D'Appolonia)	532
Amylomaize, damaged starch, electron microscopy of (Gallant et al.)	354
Amylopectin; and pasting temperature of cow-cockle starch (Goering and DeHaas)	712
Ascorbic acid; effect on starch-slurry gelatinization (D'Appolonia) ...	532
Atmospheric pressure; effect on volume of high-protein breads (Lorenz and Maga)	522
Bacteria	
<i>A. niger</i> ; glucoamylases from (Lineback et al.)	283
<i>B. subtilis</i> α -amylase; electron microscopy of starch damage from (Gallant et al.)	354
<i>B. subtilis</i> α -amylase; in waxy-rice flour gelatinization (Tawfik and Attia)	343
<i>L. sanfrancisco</i> , carbohydrate utilization in San Francisco sour dough bread (Saunders et al.)	86
Barley. <i>See also</i> Brewing and Malting	
Amino acid composition of maturing plant (Pomeranz and Robbins)	560
Endosperm; modification in malting; microscopy of (Pomeranz)	5

Germ damage detection; by bleaching (Weak et al.)	629	related to baking quality (Orth and Bushuk)	268
High-a-amylase malting and brewing properties of (Pomeranz et al.)	653	San Francisco sour dough French; action of sugars on (Saunders et al.)	86
Kernel structure; scanning electron microscopy of (Pomeranz and Sachs)	1	Tocopherols from fumigated wheat; effect on baking (Lorenz et al.)	412
Milled; amino acid composition of (Robbins and Pomeranz)	240	Triticale vs. wheat-flour breads; properties compared (Lorenz et al.)	187
Protein and carbohydrate changes in steeping (Pomeranz)	5	Wheat-flour starch; bread-baking properties of (Kulp)	697
Bate-Smith and Rasper method for sorghum tannin; evaluation of (Maxson and Rooney)	719	Breakfast food	
Biuret method		Intestinal-gas production (human) following ingestion (Hickey et al.)	276
Compared to Kjeldahl and dye-binding (Greenaway)	609	Nutritional evaluation of protein quality in (Hackler)	677
For wheat protein; quick method (Craney)	496	Brewing. See also Barley and Malting	
Bleaching of grain; for germ-damage detection (Weak et al.)	653	High-protein barleys; brewing properties of (Pomeranz et al.)	629
Bran		Protein changes during steeping (Pomeranz)	5
Oats; protein in (Youngs)	407	Bromate reaction of dough, chemistry of (Hoseney et al.) ...	372
Wheat; nutrient value for rat after enzyme treatment (Saunders et al.)	436	Bromelain ; in softening of corn grits (Spanheimer et al.; Headley et al.)	131, 142
Bread and Breadmaking. See also Dough, and related entries		Browning	
Absorption, water; related to wheat flour baking properties (Sollars)	168	Bread; color measurement by tristimulus method (Smak)	554
Baking quality; relation of wheat protein to (Orth and Bushuk)	268	Model reactions between glycine and D-fructose; radioactive tracer study (Lee and Liau)	443
Bromate reaction; chemistry of (Hoseney et al.)	372	Buckwheat, kernel ; scanning electron microscopy of (Pomeranz and Sachs)	23
Chorleywood process; parameters of dough development in (Kilborn and Tipples)	34	Bulgur, fortified ; lysine determination in (Finley et al.)	514
Crust color, determination of (Smak)	554	Caffeic acid ; role in meal discoloration (Cater et al.)	508
High-protein breads; production in reduced atmospheric pressures (Lorenz and Maga)	522	Cake	
Ingredients; effect on amylograph properties of gelatinized starch (D'Appolonia)	532	Flour; effect of chlorine on starch (Kulp et al.)	194
Loaf volume; effect of iodoacetic acid on (Tkachuk)	636	Flour; relation between flour particle size and cake-volume potential (Yamazaki and Donelson)	649
Nutrients of wheat baked goods (Toepfer et al.)	173		
Pentosans, wheat-flour; effect on (Jelaca and Hlynka)	489		
Protein solubility distribution			

Calcium stearoyl-2-lactylate; effect on loaf volume (Hoseney et al.)	366	Colorimetry	
Of lysine determination in maize seeds (Tsai et al.)		572	
Carbamoyl ethyl wheat flour; properties of (Smith et al.)	336	Of lysine determination in wheat and bulgur (Finley et al.)	514
Carbohydrates. See also Cellulose, Starch, and Sugars		Tristimulus method; for measuring bread-crust color (Smak)	554
Free sugars of maturing wheat; changes in (Abou-Guendia and D'Appolonia)	664	Composition and utilization of milled barley products (a series): III (Robbins and Pomeranz)	240
D-fructose and glycine; model browning reactions of (Lee and Liau)	443	Cookies, diameter; relation to water-retention capacity (Sollars)	168
Glucose isomerase, measuring activity of (Lloyd et al.)	544	Copper; in colorimetric detection of wheat lysine (Finley et al.)	514
Pentosans, <i>see</i> main entry		Corn	
Soybean tempeh; solubilization of (Van Buren et al.)	208	Aflatoxin B ₁ , in damaged commercial samples (Shotwell et al.)	458
Trisaccharide nature of glucoamylases from <i>A. niger</i> (Lineback et al.)	283	Dust in grain; tests for (Greenaway)	150
Carbon dioxide, human intestinal; from ingestion of wheat cereals (Hickey et al.)	276	Germ, commercial dry-milled; composition of (Garcia et al.)	499
Carbonyl compounds, from high-temperature starch hydrolysis (Lorenz and Johnson)	616	Germ, damaged; rapid determination by bleaching (Weak et al.)	653
Casein; precipitation by trichloroacetic acid (Bhatti)	729	Grits; softening by enzymes and chemicals (Spanheimer et al.)	131
Catchfly; starch-granule properties of (Goering and DeHaas)	712	Grits, treated; pin-milling and air-classification of (Headley et al.)	142
Cellulose		In human diet; nitrogen in (Kies et al.)	26
Bran-aleurone; enzymatic digestion of (Saunders et al.)	436	Minerals of; determination by atomic absorption spectroscopy (Garcia et al.)	158
Carboxymethyl; in starch-gelatinization study (D'Appolonia)	532	Opaque-2; lysine determination in (Tsai et al.)	572
Changes in carbohydrate components during wheat maturation (a series): I (Abou-Guendia and D'Appolonia)	664	Southern leaf blight; dry-milling characteristics of (Brekke et al.)	466
Chlorine; effect on soft wheat flour starch (Kulp et al.)	194	Southern leaf blight; microbial reduction in storage (Vojnovich et al.)	346
Chlorogenic acid; role in meal discoloration (Cater et al.)	508	Starch; polarimetric determination of (Garcia and Wolf)	298
Colocasia esculenta; starch-granule properties of (Goering and DeHaas)	712	Water sorption kinetics for damaged corn (Chung et al.)	598
		Cottonseed flour; high-protein bread from (Lorenz and Maga)	522
		Couler Counter; for flour particle-size analysis (Donelson and Yamazaki)	641

Cow cockle; starch granule properties of (Goering and DeHaas)	712	Dust, in corn; tests for (Greenaway)	150
Damage, germ; rapid determination of (Weak et al.)	653	Dye-binding protein method; compared to Kjeldahl and biuret (Greenaway)	609
Dasheen; starch-granule properties of (Goering and DeHaas)	712	Effects of fumigation on wheat in storage (a series): IV. Tocopherols (Slover and Lehmann)	412
Diammonium citrate; as nitrogen supplement in human diet (Kies et al.)	26	Egg albumin; enrichment of semolina with (Matsuo et al.)	707
Dimethyl sulfoxide; as corn-starch solvent (Garcia and Wolf)	298	Electrophoresis. <i>See</i> Methods	
Disulfide			
Bonding; in whey-protein effect on gluten (Zaehringer)	307	Endosperm	
Content; of phosphine-treated flour (Tkachuk)	258	Barley; scanning electron microscopy of (Pomeranz and Sachs)	1
Groups; relation to dough rheology (Bloksma)	104	Buckwheat; scanning electron microscopy of (Pomeranz and Sachs)	23
Dough			
Development; factors affecting (Kilborn and Tipples)	34, 48	Oats; protein distribution in (Youngs)	407
Gluten, <i>see</i> main entry		Oats; scanning electron microscopy of (Pomeranz and Sachs)	20
Improvers, iodoacetic acid as (Tkachuk)	636	Soft-wheat, friability of; effect on cake-baking potential (Yamazaki and Donelson)	649
Lipid, in bromate reaction (Hoseney et al.)	372	Ultrastructure of mature wheat (Simmonds)	212
Loaf volume; effect of synthetic lipids on (Hoseney et al.)	366		
Mixing; constant-energy-input vs. conventional, to shorten mixing time (Kilborn and Tipples)	48	Enzymes	
Mixing; mechanical-development parameters in the Chorleywood process (Kilborn and Tipples)	34	Cellulolytic; effect on bran nutritive value (Saunders et al.)	436
Mixing; procedure changes for triticale flour dough (Lorenz et al.)	187	Chick pancreas acetone powder; and digestibility of wheat millfeeds (Saunders and Kohler)	98
Pentosans, wheat-flour; effect on (Jelaca and Hlynska)	489	Glucoamylase, from <i>A. niger</i> ; characterization of (Lineback et al.)	283
Rheology; effect of cheddar-cheese whey on (Zaehringer)	307	Glucose-isomerase; automated method for determining activity of (Lloyd et al.)	544
Rheology; effect of controlled starch damage on (Farrand) ..	479	Glutamic acid decarboxylase; in damaged cereal grain (Weak et al.)	653
Rheology; relation of thiol and disulfide contents to (Bloksma)	104	Lipoxygenase, of wheat protein concentrate; inactivation by heat (Wallace and Wheeler)	92
Structure; related to wheat-grain morphology (Simmonds)	324	Lipoxygenase, soybean; and flavor changes during bean maturation (Rackis et al.)	586

Peroxidase, soybean; and flavor changes during bean maturation (Rackis et al.)	586	Flour. <i>See also</i> Bread and Breadmaking, and Dough	
Proteolytic; to soften corn grits for air classification (Spanheimer et al.; and Headley et al.)	131, 142	Bread-wheat, albumins of; immunochromatographic characterization (Piazz et al.)	72
Proteolytic, wheat-flour; dialyzable components from (Grant and Wang)	201	Cake. <i>See</i> Wheat, soft	
Epichlorohydrin; effect on rice-granule swelling (Rutledge et al.)	430	Carbamoyl wheat; properties of (Smith et al.)	336
Errata		Defatted; effect of synthetic lipids on loaf volume (Hoseney et al.)	366
Dimopolous, J. S. and H. G. Muller (Vol. 49, p. 54)	498	Defatted; fractions involved in bromate reaction (Hoseney et al.)	372
Kruger (Vol. 48, p. 517)	127	Gray-baking; quantitative color measurement of (Smak)	554
Kruger (Vol. 49, p. 392)	737	High-protein bread; effect of reduced pressure (Lorenz and Maga)	522
Factors affecting mechanical dough development (a series):		Improvers; iodoacetic acid as (Tkachuk)	636
I (Kilborn and Tipples)	34	In Chorleywood bread process; work input for optimum performance (Kilborn and Tipples)	34
II (Kilborn and Tipples)	48	Pentosans, wheat-flour; effect in dough, gluten, and bread (Jelaca and Hlynka)	489
Farinograph absorption values for wheat flour; relation to water-retention capacity (Sollars).	168	Protein, acetic-acid insoluble; characterization of (Cole et al.)	68
Fermentation; of soybean tempeh (Van Buren et al.)	208	Protein residues; solubilizing effect of mercuric chloride on (Mecham et al.)	62
Ferric ammonium sulfate method for sorghum tannin analysis; evaluation of (Maxson and Rooney)	719	Protein solubility; effect of wheat variety on (Tanaka and Bushuk)	247
Fish protein concentrate		Starch-damaged (controlled); effect on rheology and baking (Farrand)	479
High-protein bread from (Lorenz and Maga)	522	Waxy-rice; action of α -amylase on gelatinization of (Tawfik and Attia)	343
Semolina enrichment by (Matsuo et al.)	707	Wheat; components of, in bromate reaction (Hoseney et al.)	372
Flavor		Wheat; dialyzable components from proteolysis of (Grant and Wang)	201
High-protein bread additives, effect on (Lorenz and Maga)	522	Wheat, lipids; replacement with synthetic (Hoseney et al.)	366
Soybean; related to enzymes in maturation (Rackis et al.)	586	Wheat; phosphine fumigation residues in (Tkachuk)	258
Flax; phosphine-fumigation residues in (Tkachuk)	258	Wheat; physicochemical properties of starches in (Kulp)	697
Wheat, soft; mass-median diameter of (Donelson and Yamazaki)	641		

Wheat, soft; varietal differences in cake potential (Yamazaki and Donelson)	649	Glycine; as nitrogen supplement in human diet (Kies et al.)	26
Wheat; water-retention factors of (Sollars)	168	Groat, oat; protein distribution in (Youngs)	407
Fortification of wheat and bulgur (Finley et al.)	514		
Free fatty acids. See Lipids			
Fumigation			
Phosphine; phosphorus residues in wheat from (Tkachuk)	258	<i>Helminthosporium maydis</i> ; of dry-milled blighted corn (Brekke et al.)	466
Stored-wheat; effect on tocopherols (Slover and Lehmann)	412	Histidine; in tryptophan analysis (Howe et al.)	566
Functional (breadmaking) and biochemical properties of wheat flour components (a series):			
IX (Hoseney et al.)	366	Humidity; influence on rice-kernel fissuring (Kunze and Choudhury)	684
X (Hoseney et al.)	372	Hydrogen gas, human-intestinal; from commercial wheat cereals (Hickey et al.)	276
Fungi; reduction in stored, dry-milled, blighted corn (Vojnovich et al.)	346	Hydrolysis of starch under high temperatures and pressures (Lorenz and Johnson)	616
<i>H. maydis</i> ; in dry-milled blighted corn (Brekke et al.)	466	Hypophosphite; in residues from phosphine wheat fumigation (Tkachuk)	258
Gelatinization, of waxy-rice flour; α-amylase action in (Tawfik and Attia)			
	343		
Gliadin, molecular-weight; electrophoretic study of (Bietz and Wall)	416	Immunochemical analysis of bread wheat albumins (Piazzì et al.)	72
Gluten			
Effect of cheddar-cheese whey on (Zaehringer)	307	Isomerization of glucose to fructose; automated method for (Lloyd et al.)	544
Molecular-weight; electrophoretic study of (Bietz and Wall)	416		
Solubility and molecular weight; effect of lipid on (Simmonds and Wrigley)	317	Kjeldahl protein method; comparison with dye-binding and biuret (Greenaway)	609
Structure; related to wheat-grain morphology (Simmonds)	324		
Wheat, comparative baking qualities (Orth and Bushuk)	268		
And wheat-flour pentosans; effect on dough and bread (Jelaca and Hlynka)	489	Lactose, cheese-whey; effect on gluten (Zaehringer)	307
Glutenin, molecular-weight; electrophoretic study of (Bietz and Wall)	416	Leucine; influence on protein value of cereals for humans (Kies and Fox)	223

Lipid	
Dough; involvement in bromate reaction (Hoseney et al.)	372
Effect on gluten and storage proteins (Simmonds and Wrigley)	317
Fatty acids of wheat products (Toepfer et al.)	173
Free fatty acids; from starch hydrolysis (Lorenz and Johnson)	616
Soybean tempeh; solubilization of (Van Buren et al.)	208
Soy product; effect of processing and storage on (Maga and Johnson)	79
Synthetic; effect on loaf volume of defatted flour (Hoseney et al.)	366
Lysine	
Of barley (Pomeranz et al.)	629
Colorimetric test for, in corn (Tsai et al.)	572
Colorimetric test for; in fortified wheat and bulgur (Finley et al.)	514
As nutritional supplement for wheat mill fraction (Miladi et al.)	119
And protein value of cereals for humans (Kies and Fox)	223
Sorghum-grain; infusion with (Cavins et al.)	605
Malting	
Properties of high-protein barleys (Pomeranz et al.)	629
Scanning electron microscopy of malted barley (Pomeranz)	5
Maturing agent ; iodoacetic acid as (Tkachuk)	636
Mercuric chloride ; to solubilize flour protein (Mecham et al.)	62
Methane , human-intestinal; from ingestion of commercial wheat cereals (Hickey et al.)	276
Methionine infusion in sorghum grain (Cavins et al.)	605
Methods	
Automated α -amylase assay on reduced β -limit dextrin (Kruger and Marchyo)	453
Automated; for glucose-isomerase activity (Lloyd et al.)	544
Christensen-Qasem bleaching, modified; for germ-damage detection (Weak et al.)	653
Colorimetric, for lysine in maize (Tsai et al.)	572
Colorimetric, for lysine in wheat and bulgur (Finley et al.)	514
Constant-energy-input; to shorten dough-mixing time (Kilborn and Tipple)	48
Crushing test for baked gluten balls (Zaehringer)	307
Density-gradient ultracentrifugation with acrylamide; in sedimentation of flour "gel" proteins (Cole et al.)	68
Electrophoresis; for amylose mobility during wheat germination (Kruger)	391
Extraction of residual flour protein by mercuric chloride (Mecham et al.)	62
Hemoglobin; in extraction of wheat-flour proteins (Grant and Wang)	201
Immunochemical; characterization of antisera reacting with specific bread-wheat albumins (Piazzesi et al.)	72
<i>In vitro</i> ; for measuring protein digestibility of wheat millfeeds for monogastric animals (Saunders and Kohler)	98
Isoelectric focusing electrophoresis; of wheat β -amylases (Niku-Paavola et al.)	580
Kinetics of water sorption by damaged corn (Chung et al.)	598
Polarimetric starch analysis (Garcia and Wolf)	298
Polarimetry; determination of starch in corn by (Garcia and Wolf)	298
Polyacrylamide slab electrophoresis; for α - and β -isozymes in maturing wheat (Kruger)	379
Of protein detection; Kjeldahl, dye-binding, and biuret compared (Greenaway)	609

Protein determination in wheat; rapid biuret (Craney)	496	Of corn and wheat germ; by atomic-absorption spectroscopy (Garcia et al.)	158
Rice pearler, laboratory, for sorghum fractionation (Rooney et al.)	399	Of wheat products (Toepfer et al.)	173
Sodium dodecyl sulfate-polyacrylamide gel electrophoresis; for molecular weights of gluten subunits (Bietz and Wall)	416	Moisture adsorption of rice; relation to tensile strength (Kunze and Choudhury)	684
Of softening corn grits for air classification (Spanheimer et al.)	131	Molecular-weight range of gluten and storage proteins; effect of lipid on (Simmonds and Wrigley)	317
Spectroscopy, atomic-absorption; to determine minerals of corn and wheat germ (Garcia et al.)	499	New Starches (a series): VIII (Goering and DeHaas)	712
Tristimulus, modified; for quantitative measurement of bread-crust color (Smak)	554	Niacin. <i>See</i> Vitamins	
For tryptophan analysis in cereal products (Howe et al.)	566	Nitrogen	
Varietal studies in protein solubility of flours (Tanaka and Bushuk)	247	Effect of quantitative variation as supplement to human cereals (Kies et al.)	26
Water-retention tests for wheat flours (Sollars)	168	In protein value of cereal grains for humans (Kies and Fox)	223
Microorganisms. <i>See</i> Bacteria and Fungi		Nutrient composition of selected wheats and wheat products (a series): XI (Toepfer et al.)	173
Microscopy		Nutritive value (animal)	
Electron, of bacterial α -amylase-modified starch (Gallant et al.)	354	Of cellulolytic-enzyme-treated bran, for the rat (Saunders et al.)	436
Scanning electron, <i>see</i> main entry		Protein digestibility of (monogastric) wheat millfeeds (Saunders and Kohler)	98
Milk		Of wheat milling-fraction proteins, for the rat (Miladi et al.)	119
As nitrogen source in human diet (Kies et al.)	26	Nutritive value (human)	
Protein; contribution to nutritive value of breakfast food (Hackler)	677	Of cereal grains for humans (Kies and Fox)	223
Milling		Of nonspecific nitrogen supplementation of human cereals diet (Kies et al.)	26
Dry; characteristics of <i>H. maydis</i> -damaged corn (Brekke et al.)	466	Of wheat and oat breakfast foods with and without milk protein (Hackler)	677
Dry, commercial corn and wheat-germ flours; mineral constituents of (Garcia et al.)	499	Of wheat and its products (Toepfer et al.)	173
Pin; preparation of corn grits for air classification (Spanheimer et al., and Headley et al.)	131, 142	Oats	
Minerals		Germ-damage detection in (Weak et al.)	653
Of commercial dry-milled corn and wheat-germ flours (Garcia et al.)	499		

Kernel; scanning electron microscopy of (Pomeranz and Sachs)	20	Polarimetric determination of starch in corn (Garcia and Wolf)	298
Protein distribution in kernel and groat (Youngs)	407	Polyphenols; in tannin analysis (Maxson and Rooney)	719
Protein value as breakfast food, with and without milk protein (Hackler)	677	Potassium bromate	
Oilseed protein; precipitation by trichloroacetic acid (Bhatty)	729	Compared with iodoacetic acid as flour improver (Tkachuk) ...	636
Optical rotation of starch (Garcia and Wolf)	298	Effect on starch-slurry gelatinization (D'Appolonia) .	532
Oxidizing agents; effect on starch gelatinization (D'Appolonia) ...	532	In wheat-flour bromate reaction (Hosenev et al.)	372
Pancreatin treatment of semolina pentosans (Lintas and D'Appolonia)	731	Potassium ferricyanide; in α-amylase assay (Kruger and Marchylo) ...	453
Parboiling		Potassium iodate	
Effect on rice protein (Dimopoulos and Muller) ...	54	Compared with iodoacetic acid as flour improver (Tkachuk) ...	532
Elimination by chemical modification in canning (Rutledge et al.)	430	Effect on starch-slurry gelatinization (D'Appolonia) .	372
Particle-size analysis of soft-wheat flour; method for (Donelson and Yamazaki)	641	In wheat-flour bromate reaction (Hosenev et al.)	
Peanut flour; high-protein bread from (Lorenz and Maga)	522	Protein	
Pentosans		Albumin, bread-wheat; immunochemical study of (Piazz et al.)	72
Durum-wheat; effect of purification on (Lintas and D'Appolonia)	731	Amino acid; in nutritive value of cereals for humans (Kies and Fox)	223
Wheat-flour; effect on dough and bread (Jelaca and Hlynka) ...	489	Barley, high-protein; amino acids and brewing performance of (Pomeranz et al.)	629
Peroxidase, and flavor of maturing soybeans (Rackis et al.)	586	Barley; of maturing plant (Pomeranz and Robbins)	560
Phosphine fumigation, residues from in wheat (Tkachuk)	258	Bran, enzyme-treated; nutritional availability to rat (Saunders et al.)	436
Phosphorus; residues from phosphine fumigation (Tkachuk)	258	And bread-crust color; correlation (Smak)	554
Pigweed; starch-granule properties of (Goering and DeHaas)	712	Breakfast food; nutritive value with and without milk protein (Hackler)	677
		Cheddar-cheese whey; effect on gluten (Zaehringer)	307
		Corn-grit, pin-milled; scanning electron microscopy of (Headley et al.)	142
		Digestibility, <i>in vitro</i> ; of wheat millfeeds (Saunders and Kohlen)	98
		Durum-wheat; effect on spaghetti quality (Matsuo et al.)	707
		Fish protein concentrate, <i>see</i> main entry	
		"Gel"; in flour extraction (Mecham et al.)	62

Glucoprotein; glucoamylases from <i>A. niger</i> characterized (Lineback et al.)	283
Gluten, <i>see</i> main entry	
High-protein breads; effect of reduced atmospheric pressure on (Lorenz and Maga)	522
Oat; kernel distribution of (Youngs)	407
Oilseed; trichloroacetic acid precipitation of (Bhatty)	729
Nitrogen requirement in human diet (Kies et al.)	26, 223
Rapeseed; semolina enrichment by (Matsuo et al.)	707
Semolina; pancreatin treatment of (Lintas and D'Appolonia)	731
Solubility distribution related to wheat-flour baking quality (Orth and Bushuk)	268
Sorghum; influence of variety on milled content (Rooney et al.)	399
Storage-; effect of lipid on (Simmonds and Wrigley)	317
Storage-; of mature wheat endosperm; electron microscopy of (Simmonds)	212
Wheat; comparison of methods for detecting (Greenaway)	609
Of wheat mill fractions; digestibility and nutritive value of (Miladi et al.)	119
Wheat; rapid biuret analysis of (Craney)	496
Zein; breakdown in enzymatic softening of corn grits (Spanheimer et al.)	131
Pyrophosphate; in wheat fumigation residues (Tkachuk)	258
Quinic acid; role in oilseed meal discoloration (Cater et al.)	508
Radioactive tracers	
In model browning studies of glycine and D-fructose (Lee and Liu)	443
Phosphine- ³² P in fumigation-residue study (Tkachuk)	258
Rapeseed	
Phosphine-fumigation residues in (Tkachuk)	258
Protein; trichloroacetic acid precipitation of (Bhatty)	729
Rice	
Canning stability through chemical modification (Rutledge et al.)	430
Moisture adsorption related to tensile strength (Kunze and Choudhury)	684
Nitrogen value in human diet (Kies et al.)	26
Parboiling; effect on protein composition and extraction (Dimopoulos and Muller)	54
Waxy-, flour; action of bacterial α -amylase on (Tawfik and Attia)	343
Rye; germ-damage detection in (Weak et al.)	653
Salt ; effect on starch-slurry gelatinization (D'Appolonia)	
	532
Scanning electron microscopy	
Of barley kernel structure (Pomeranz and Sachs)	1
Of buckwheat kernel (Pomeranz and Sachs)	23
Of malted barley endosperm (Pomeranz)	5
Of maturing barley (Pomeranz and Robbins)	560
Of milled, enzyme-treated corn grits (Headley et al.)	142
Of oat kernel (Pomeranz and Sachs)	20
Semolina; effect of purification on pentosans of (Lintas and D'Appolonia)	731
Shortening, bread; effect on starch-slurry gelatinization (D'Appolonia)	532
Sodium propionate, bread; effect on starch-slurry gelatinization (D'Appolonia)	532
Sodium-stearoyl-2-lactylate; effect on loaf volume (Hoseney et al.)	366

Solubility of gluten proteins; effect of lipid on (Simmonds and Wrigley)	317	Gelatinization; effect of bread ingredients on (D'Appolonia)	532
Sorghum		Hydrolysis under high temperatures and pressures (Lorenz and Johnson)	616
Amino acid fortification of (Cavins et al.)	605	Sprouted-wheat; scanning electron microscopy of (Dronzel et al.)	232
Germ-damage determination in (Weak et al.)	653	Wheat; physicochemical properties of (Kulp)	697
Protein composition, by abrasive milling (Rooney et al.)	399		
Tannin analysis; evaluation of methods for (Maxson and Rooney)	719	Storage	
Sorption kinetics of water vapor by yellow dent corn (a series): II (Chung et al.)	598	Effect on soy-product lipids (Maga and Johnson)	79
Southern corn leaf blight. <i>See</i> Corn		Effect on wheat β -amylases (Niku-Paavola et al.)	580
Soybeans		Microbial reduction in dry-milled blighted corn (Vojnovich et al.)	346
Lipids; effect of processing and storage on (Maga and Johnson)	79	Proteins; effect of lipids on (Simmonds and Wrigley)	317
Lipid; enzyme of, and flavor changes during maturation (Rackis et al.)	586	Wheat; effect of fumigation on tocopherols (Slover and Lehmann)	412
Protein; trichloroacetic acid precipitation of (Bhatty)	729	Wheat; phosphorus residues from phosphine fumigation of (Tkachuk)	258
Tempeh; solubility during fermentation (Van Buren et al.)	208		
Soy flour		Structural studies	
High-protein bread from (Lorenz and Maga)	522	Characterization of two glucoamylases from <i>A. niger</i> (Lineback et al.)	283
Semolina enrichment by (Matsuo et al.)	707	Cross-linking rice starch by epichlorohydrin; effect on swelling behavior (Rutledge et al.)	430
Spaghetti, cooking quality; related to wheat protein quality (Matsuo et al.)	707	Dough structure related to wheat-grain morphology (Simmonds)	324
Starch		Electron microscopy of amylase-modified starch granules (Gallant et al.)	354
α -Amylase-modified; electron microscopy of (Gallant et al.)	354	Scanning electron microscopy, <i>see</i> main entry	
Cake flour; effect of chlorine on (Kulp et al.)	194	Ultrastructure of mature wheat endosperm (Simmonds)	212
Controlled damage; effect on (Farrand)	479		
Corn-grits, pin-milled; scanning electron microscopy of (Headley et al.)	142	Studies with radioactive tracers (a series): XVIII (Lee and Liu)	443
Corn; polarimetric determination of (Garcia and Wolf)	298		
Dasheen; properties of (Goering and DeHaas)	712	Sugars	
		Free, of wheat; changes in during maturation (Abou-Guenda and D'Appolonia)	664
		From high-pressure starch hydrolysis (Lorenz and Johnson)	616
		In San Francisco sour dough	

French bread process (Saunders et al.)	86	Thiol groups; relation to dough rheology (Bloksma)	104
Sucroglycerides; effect on loaf volume (Hoseney et al.)	366	Tocopherols, stored-wheat, effect of fumigation on (Slover and Lehmann)	412
Sucrose; effect on starch-slurry gelatinization (D'Appolonia)	532	Trichloroacetic acid precipitation of oilseed proteins (Bhatty)	729
Of wheat products (Toepfer et al.)	173	Tristimulus color measurements of bread-crust brownness (Smak) ..	554
Sulphydryl		Triticale, flour; mixing and baking properties of (Lorenz et al.) ..	187
Content; of phosphine-treated flour (Tkachuk)	258	Tryptophan	
Groups; in dough improvement (Tkachuk)	636	Cereal-grain; method of analysis (Howe et al.)	566
Groups; relation to dough rheology (Bloksma)	104	Infusion in sorghum grain (Cavins et al.)	605
Groups; in whey-protein effect on gluten (Zaehringen)	307	Viscographic studies , of α -amylase action on waxy-rice flour gelatinization (Tawfik and Attia) ..	343
Sulfur-dioxide ; in softening corn grits for air classification (Spanheimer et al.)	131	Vitamins	
Sunflower		Niacin; influence on cereal protein value (Kies and Fox) ..	223
Meal, discoloration of (Cater et al.)	508	Tocopherols, <i>see</i> main entry	
Protein; trichloroacetic acid precipitation of (Bhatty)	729	Of wheat products (Toepfer et al.)	173
Surfactants ; effect of pluronics polyols on loaf volume (Hoseney et al.)	366	Water	
Tannin analysis , sorghum-grain; evaluation of methods for (Maxson and Rooney)	719	Heat-moisture inactivation of WPC lipoxygenase (Wallace and Wheeler)	92
Tempeh ; solubility during fermentation (Van Buren et al.)	208	Retention, wheat-flour; related to baking properties (Sollars) ..	168
Temperature		Rice moisture adsorption related to tensile strength (Kunze and Choudhury)	684
Lipoxygenase inactivation in WPC by heat-moisture treatment (Wallace and Wheeler)	92	Soluble pentosans, wheat; effect of purification on (Lintas and D'Appolonia)	731
Starch hydrolysis under high temperatures and pressures (Lorenz and Johnson)	616	-Vapor sorption kinetics for damaged corn (Chung et al.) ..	598
Tensile strength , rice; related to moisture adsorption (Kunze and Choudhury)	684		
Thiobarbituric acid ; in maturing soybeans (Rackis et al.)	586		

Wheat. See also Flour, Fumigation, Storage, and related entries			
β -Amylases; isoelectric focusing electrophoresis of (Niku-Paavola et al.)	580	(Hickey et al.)	276
Durum, pentosans; effect of purification on (Lintas and D'Appolonia)	731	Milling fractions, HRS; nutritive value of protein for the rat (Miladi et al.)	119
Durum, protein content; effect on spaghetti cooking quality (Matsuo et al.)	707	Nutritive composition of; summary (Toepfer et al.)	173
Endosperm; electron microscopy of (Simmonds)	212	Protein; comparative study in wheats of diverse baking qualities (Orth and Bushuk)	268
-Flour pentosans; effect on dough, gluten, and bread (Jelaca and Hlynka)	489	Protein; methods of detection compared (Greenaway)	609
Fortified; determination of added lysine in (Finley et al.)	514	Protein; quick biuret method for (Craney)	496
-Germ flours, defatted; composition of (Garcia et al.)	499	Soft; relation between particle size and cake-volume potential (Yamazaki and Donelson)	649
-Grain morphology related to dough structure (Simmonds)	324	Soft; particle-size analysis of (Donelson and Yamazaki)	641
HRS; amylase changes during germination and development (Kruger)	379, 391	Starches; physicochemical properties of (Kulp)	697
Maturation; changes in free sugars during (Abou-Guendia and D'Appolonia)	664	Storage proteins; effect of lipid on (Simmonds and Wrigley)	317
Millfeed; protein digestibility by monogastric animals (Saunders and Kohler)	98	Variety; effect on flour-protein solubility (Tanaka and Bushuk)	247
Milling fractions; and human intestinal gas production		Wheat protein concentrate	
		Heat-inactivation of lipoxygenase in (Wallace and Wheeler)	92
		Nutritive value, in rat feeding studies with wheat mill fractions (Miladi et al.)	119



Cereal Chemistry

Published by The American Association of Cereal Chemists, Inc.

Scientific Editor WELKER G. BECHTEL
Managing Editor ROGER F. PAULSON
Business Manager RAYMOND J. TARLETON
Assistant Editor CAROLYN LIGHT

Board of Editors:

B. L. D'APPOLONIA
V. L. FRAMPTON
J. C. FRITZ
L. R. HACKLER
D. F. HOUSTON
D. R. LINEBACK
N. E. LLOYD
W. W. LUCHSINGER

R. R. MATSUO
D. F. MEISNER
J. D. MULLEN
L. W. ROONEY
R. J. TENNEY
H. G. WALKER
W. J. WOLF
R. W. YOUNGQUIST

VOLUME 49, NOS. 1-6
JANUARY-NOVEMBER 1972

St. Paul, Minnesota
1972

CONTENTS

VOLUME 49, NUMBER 1, JANUARY-FEBRUARY 1972

Determining the Structure of the Barley Kernel by Scanning Electron Microscopy. <i>Y. Pomeranz and I. B. Sachs</i>	1
Scanning Electron Microscopy of the Endosperm of Malted Barley. <i>Y. Pomeranz</i>	5
Scanning Electron Microscopy of the Oat Kernel. <i>Y. Pomeranz and I. B. Sachs</i>	20
Scanning Electron Microscopy of the Buckwheat Kernel. <i>Y. Pomeranz and I. B. Sachs</i>	23
Effect of Quantitative Variation in Nonspecific Nitrogen Supplementation of Corn, Wheat, Rice, and Milk Diets for Adult Men. <i>Constance Kies, Hazel Metz Fox, and Shirley Chü-Shya Chen</i>	26
Factors Affecting Mechanical Dough Development. I. Effect of Mixing Intensity and Work Input. <i>R. H. Kilborn and K. H. Tipples</i>	34
Factors Affecting Mechanical Dough Development. II. Implications of Mixing at a Constant Rate of Energy Input. <i>R. H. Kilborn and K. H. Tipples</i>	48
Effect of Processing Conditions on Protein Extraction and Composition and on Some Other Physicochemical Characteristics of Parboiled Rice. <i>J. S. Dimopoulos and H. G. Muller</i>	54
Solubilizing Effect of Mercuric Chloride on the "Gel" Protein of Wheat Flour. <i>D. K. Mecham, E. W. Cole, and H. Ng</i>	62
Gradient Ultracentrifugation in the Characterization of the Acetic Acid-Insoluble Proteins of Wheat Flour. <i>E. W. Cole, H. Ng, and D. K. Mecham</i>	68
Immunochemical Characterization of Specific Albumins of Bread Wheat. <i>S. E. Piazzesi, G. Riparbelli, Sandra Sordi, P. Cantagalli, F. Pocchiari and V. Silano</i>	72
Effect of Processing and Storage Conditions on Lipid Composition of Soy Products. <i>J. A. Maga and J. A. Johnson</i>	79
The Sugars of Flour and their Involvement in the San Francisco Sour Dough French Bread Process. <i>R. M. Saunders, H. Ng, and L. Kline</i>	86
Lipoxygenase Inactivation in Wheat Protein Concentrate by Heat-Moisture Treatments. <i>Joan M. Wallace and E. L. Wheeler</i>	92
In Vitro Determination of Protein Digestibility in Wheat Millfeeds for Monogastric Animals. <i>R. M. Saunders and G. O. Kohler</i>	98
The Relation Between the Thiol and Disulfide Contents of Dough and its Rheological Properties. <i>A. H. Bloksma</i>	104
The Relative Nutritive Value, Amino Acid Content, and Digestibility of the Proteins of Wheat Mill Fractions. <i>Samir Miladi, D. M. Hegsted, R. M. Saunders, and G. O. Kohler</i>	119
Erratum (Vol. 48, p. 512, J. E. Krueger).	127
Instructions to Authors	128

VOLUME 49, NUMBER 2, MARCH-APRIL 1972

Air Classification of Corn Grits. I. Softening Grits with Enzymes and Chemicals. <i>J. Spanheimer, J. E. Freeman, R. E. Headley, and V. E. Headley</i>	131
Air Classification of Corn Grits. II. Fine Grinding and Air Classification of Protease-Treated Grits. <i>V. E. Headley, J. Spanheimer, J. E. Freeman and R. E. Headley</i>	142
A Fundamental and a Rapid Empirical Test for Dust in Corn. <i>W. T. Greenaway</i>	150
Mineral Constituents in Corn and Wheat Germ by Atomic Absorption Spectroscopy. <i>W. J. Garcia, C. W. Blessin, and G. E. Inglett</i>	158

Relation of Distilled-Water Retention to Alkaline-Water Retention, Water Absorption, and Baking Properties of Wheat Flours. <i>W. F. Sollars</i>	168
Nutrient Composition of Selected Wheats and Wheat Products. XI. Summary. <i>E. W. Toepfer, Marilyn M. Polansky, J. F. Eheart, H. T. Slover, E. R. Morris, F. N. Hepburn, and F. W. Quackenbush</i>	173
Comparative Mixing and Baking Properties of Wheat and Triticale Flours. <i>K. Lorenz, J. Welsh, R. Normann, and J. Maga</i>	187
Effect of Chlorine on the Starch Component of Soft Wheat Flour. <i>K. Kulp, C. C. Tsen, and C. J. Daly</i>	194
Dialyzable Components Resulting from Proteolytic Activity in Extracts of Wheat Flour. <i>D. R. Grant and C. C. Wang</i>	201
Solubilization of Soybean Tempeh Constituents During Fermentation. <i>J. P. Van Buren, L. R. Hackler, and K. H. Steinkraus</i>	208
The Ultrastructure of the Mature Wheat Endosperm. <i>D. H. Simmonds</i>	212
Interrelationships of Leucine with Lysine, Tryptophan, and Niacin As They Influence Protein Value of Cereal Grains for Humans. <i>Constance Kies and Hazel M. Fox</i>	223
Scanning Electron Microscopy of Starch from Sprouted Wheat. <i>B. L. Dronzek, Paulina Hwang, and W. Bushuk</i>	232
Composition and Utilization of Milled Barley Products. III. Amino Acid Composition. <i>G. S. Robbins and Y. Pomeranz</i>	240

VOLUME 49, NUMBER 3, MAY-JUNE 1972

Effect of Protein Content and Wheat Variety on Solubility and Electrophoretic Properties of Flour Proteins. <i>K. Tanaka and W. Bushuk</i>	247
Phosphorus Residues in Wheat Due to Phosphine Fumigation. <i>R. Tkachuk</i>	258
A Comparative Study of the Proteins of Wheats of Diverse Baking Qualities. <i>R. A. Orth and W. Bushuk</i>	268
Intestinal-Gas Production following Ingestion of Commercial Wheat Cereals and Milling Fractions. <i>Carol A. Hickey, E. L. Murphy, and Doris H. Calloway</i>	276
Structural Characterization of the Two Forms of Glucoamylase from <i>Aspergillus niger</i> . <i>D. R. Lineback, L. A. Aira, and R. L. Horner</i>	283
Polarimetric Determination of Starch in Corn with Dimethyl Sulfoxide as a Solvent. <i>W. J. Garcia and M. J. Wolf</i>	298
Properties of Glutens from Doughs Containing Components of Cheddar-Cheese Whey. <i>Mary V. Zaehringer</i>	307
The Effect of Lipid on the Solubility and Molecular-Weight Range of Wheat Gluten and Storage Proteins. <i>D. H. Simmonds and C. W. Wrigley</i>	317
Wheat-Grain Morphology and Its Relationship to Dough Structure. <i>D. H. Simmonds</i>	324
Preparation and Properties of Carbamoylethyl Wheat Flour. <i>H. E. Smith, H. C. Katz, S. H. Gordon, and C. R. Russell</i>	336
Action of Bacterial α -Amylase on Gelatinization Characteristics of Waxy-Rice Flour. <i>M. El-Hesseny Tawfik and R. M. Attia</i>	343
Microbial Reduction in Stored and Dry-Milled Corn Infected with Southern Corn Leaf Blight. <i>C. Vojnovich, R. A. Anderson, and J. J. Ellis</i>	346
Electron Microscopy of Starch Granules Modified by Bacterial α -Amylase. <i>D. Gallant, Christiane Mercier, and A. Guillet</i>	354
Functional (Breadmaking) and Biochemical Properties of Wheat Flour Components. IX. Replacing Total Free Lipid with Synthetic Lipid. <i>R. C. Hoseney, K. F. Finney, and M. D. Shogren</i>	366
Functional (Breadmaking) and Biochemical Properties of Wheat Flour Components. X. Fractions Involved in the Bromate Reaction. <i>R. C. Hoseney, K. F. Finney, and M. D. Shogren</i>	372

VOLUME 49, NUMBER 4, JULY-AUGUST 1972

Changes in the Amylases of Hard Red Spring Wheat during Growth and Maturation. <i>J. E. Kruger</i>	379
Changes in the Amylases of Hard Red Spring Wheat during Germination. <i>J. E. Kruger</i>	391
Protein and Amino Acid Contents of Successive Layers Removed by Abrasive Milling of Sorghum Grain. <i>L. W. Rooney, W. B. Fryar, and C. M. Cater</i>	399
Protein Distribution in the Oat Kernel. <i>V. L. Youngs</i>	407
Effects of Fumigation on Wheat in Storage. IV. Tocopherols. <i>H. T. Slover and Joanna Lehmann</i>	412
Wheat Gluten Subunits: Molecular Weights Determined by Sodium Dodecyl Sulfate-Polyacrylamide Gel Electrophoresis. <i>J. A. Bietz and J. S. Wall</i>	416
Improved Canning Stability of Rice by Chemical Modification. <i>J. E. Rutledge, M. N. Islam, and W. H. James</i>	430
Enzymatic Processing of Wheat Bran: Effects on Nutrient Availability. <i>R. M. Saunders, M. A. Connor, R. H. Edwards, and G. O. Kohler</i>	436
Studies with Radioactive Tracers. XVIII. Model Browning Reactions between Glycine and D-Fructose. <i>C. C. Lee and Y. H. Liu</i>	443
The Use of Reduced β -Limit Dextrin as Substrate in an Automated Amylase Assay. <i>J. E. Kruger and B. Marchylo</i>	453
Aflatoxin Contamination: Association with Foreign Material and Characteristic Fluorescence in Damaged Corn Kernels. <i>Odette L. Shotwell, Marion L. Goulden, and C. W. Hesseltinge</i>	458
Dry-Milling of Corn Attacked by Southern Leaf Blight. <i>O. L. Brekke, A. J. Peplinski, E. L. Griffin, Jr., and J. J. Ellis</i>	466
Controlled Levels of Starch Damage in a Commercial United Kingdom Bread Flour and Effects on Absorption, Sedimentation Value, and Loaf Quality. <i>E. A. Farrand</i>	479
Effect of Wheat-Flour Pentosans in Dough, Gluten, and Bread. <i>S. L. Jelaca and I. Hlynka</i>	489
Communication to the Editor. <i>Carolee E. Craney</i>	496
Correction (Vol. 49, p. 54, J. S. Dimopoulos and H. G. Muller)	498
Editorial Policy	ii
Instructions to Authors	iii

VOLUME 49, NUMBER 5, SEPTEMBER-OCTOBER 1972

Composition of Air-Classified Defatted Corn and Wheat Germ Flours. <i>W. J. Garcia, H. W. Gardner, J. F. Cavins, A. C. Stringfellow, C. W. Blessin, and G. E. Inglett</i>	499
The Effect of Chlorogenic, Quinic, and Caffeic Acids on the Solubility and Color of Protein Isolates, Especially from Sunflower Seed. <i>C. M. Cater, S. Gheyasuddin, and K. F. Mattil</i>	508
Determination of Added Lysine in Fortified Wheat and Bulgur. <i>J. W. Finley, R. E. Ferrel, and D. A. Fellers</i>	514
The Production of High-Protein Breads under Reduced Atmospheric Pressures. <i>K. Lorenz and J. Maga</i>	522
Effect of Bread Ingredients on Starch-Gelatinization Properties as Measured by the Amylograph. <i>B. L. D'Appolonia</i>	532
Automated Method for the Determination of D-Glucose-Isomerase Activity. <i>N. E. Lloyd, K. Khaleeluddin, and W. R. Lamm</i>	544
New Approach to Determine the Brownness of Bread Crust. Correlation between Crust Color and Protein Content. <i>C. Smak</i>	554

Amino Acid Composition of Maturing Barley. <i>Y. Pomeranz and G. S. Robbins</i>	560
Determination of Tryptophan in Cereals. <i>Jean M. Howe, Y. Yamamura, and Helen E. Clark</i>	566
A Colorimetric Method of Screening Maize Seeds for Lysine Content. <i>C.-Y. Tsai, L. W. Hansel, and O. E. Nelson</i>	572
The Isoelectric Focusing Electrophoresis of Wheat β -Amylases. <i>M.-L. Niku-Paavola, M. Nummi, A. Kachkin, J. Daussant, and T.-M. Enari</i>	580
Lipoxygenase and Peroxidase Activities of Soybeans as Related to the Flavor Profile During Maturation. <i>J. J. Rackis, D. H. Honig, D. J. Sessa, and Helen A. Moser</i>	586
Sorption Kinetics of Water Vapor by Yellow Dent Corn. II. Analysis of Kinetic Data for Damaged Corn. <i>Do Sup Chung, Sun-Won Park, W. J. Hoover, and C. A. Watson</i>	598
Infusion of Grain Sorghum with Lysine, Methionine, and Tryptophan. <i>J. F. Cavins, C. W. Blessin, and G. E. Inglett</i>	605

VOLUME 49, NUMBER 6, NOVEMBER-DECEMBER 1972

Comparison of the Kjeldahl, Dye-Binding, and Biuret Methods for Wheat Protein Content. <i>W. T. Greenaway</i>	609
Starch Hydrolysis Under High Temperatures and Pressures. <i>K. Lorenz and J. A. Johnson</i>	616
Amino Acid Composition and Malting and Brewing Performance of High-Amylose and HiProly Barleys. <i>Y. Pomeranz, R. F. Eslick, and G. S. Robbins</i>	629
Iodoacetic Acid as a Flour-Improving Reagent. <i>R. Tkachuk</i>	636
Soft Wheat Flour Particle-Size Analysis by Integrated Sieve and Coulter Counter Procedures. <i>D. H. Donelson and W. T. Yamazaki</i>	641
The Relationship between Flour Particle Size and Cake-Volume Potential among Eastern Soft Wheats. <i>W. T. Yamazaki and D. H. Donelson</i>	649
Rapid Determination of Germ Damage in Cereal Grains. <i>E. D. Weak, G. D. Miller, E. P. Farrell, and C. A. Watson</i>	653
Changes in Carbohydrate Components during Wheat Maturation. I. Changes in Free Sugars. <i>M. Abou-Guendia and B. L. D'Appolonia</i>	664
Nutritional Evaluation of Protein Quality in Breakfast Foods. <i>L. R. Hackler</i>	677
Moisture Adsorption Related to the Tensile Strength of Rice. <i>O. R. Kunze and M. S. U. Choudhury</i>	684
Physicochemical Properties of Starches of Wheats and Flours. <i>K. Kulp</i>	697
Effect of Protein Content on the Cooking Quality of Spaghetti. <i>R. R. Matsuo, J. W. Bradley, and G. N. Irvine</i>	707
New Starches. VIII. Properties of the Small Granule-Starch from <i>Colocasia esculenta</i> . <i>K. J. Goering and B. DeHaas</i>	712
Evaluation of Methods for Tannin Analysis in Sorghum Grain. <i>E. D. Maxson and L. W. Rooney</i>	719
A Note on Trichloroacetic Acid Precipitation of Oilseed Proteins. <i>R. S. Bhatty</i>	729
Note on the Effect of Purification Treatment on Water-Soluble Pentosans. <i>C. Lintas and B. L. D'Appolonia</i>	731
Erratum (Vol. 49, p. 391, J. E. Kruger)	737
Author Index, Vol. 49	738
Subject Index, Vol. 49	743
Editorial Policy	ii
Instructions to Authors	ix



